

EXHIBIT III
MICHIGAN WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective January 1, 2004

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

Page S1

CLASS CODE	MIN RATE	MIN PREM	ELR	D RATIO	CLASS CODE	MIN RATE	MIN PREM	ELR	D RATIO	CLASS CODE	MIN RATE	MIN PREM	ELR	D RATIO
0005	7.04	750	1.87	0.25	2797	5.61	750	1.46	0.26	3638	6.36	750	1.66	0.25
0011	5.42	750	1.46	0.26	2802	13.29	750	3.49	0.27	3643	5.05	750	1.32	0.28
0034	5.97	750	1.67	0.27	2812	6.24	750	1.68	0.28	3648	4.68	750	1.26	0.29
0035	4.23	709	1.15	0.27	2841	10.53	750	3.07	0.33	3681	3.59	629	1.02	0.32
0042	8.99	750	2.29	0.24	2881	4.77	750	1.30	0.29	3685	2.34	473	0.62	0.27
0106	18.88	750	4.68	0.23	2915	7.16	750	1.88	0.28	3724	12.00	750	2.75	0.19
0128	7.92	750	2.05	0.22	3004	12.37	750	2.87	0.21	3726	13.60	750	3.01	0.18
0129	7.72	750	2.10	0.26	3018	12.24	750	3.26	0.24	3807	6.18	750	1.70	0.30
0130	9.07	750	2.55	0.28	3022	6.48	750	1.70	0.25	3808	6.94	750	1.89	0.29
0141	5.53	750	1.52	0.26	3027	5.43	750	1.52	0.30	3821	13.86	750	3.76	0.27
0908P	267.00	447	72.56	0.26	3028	10.12	750	2.76	0.26	3824	6.80	750	1.82	0.27
0909P	283.00	463	76.41	0.27	3030	13.27	750	3.23	0.23	3827	7.65	750	2.05	0.28
0912P	710.00	750	202.61	0.26	3040	13.32	750	3.30	0.25	4000	12.52	750	2.93	0.20
0913P	481.00	661	129.72	0.24	3064	7.34	750	1.93	0.26	4024	6.27	750	1.72	0.31
1005	7.68	750	1.69	0.16	3066	11.22	750	2.86	0.25	4034	15.31	750	3.60	0.22
1164	18.07	750	2.83	0.15	3076	5.88	750	1.55	0.26	4036	4.93	750	1.22	0.24
1320	5.85	750	1.43	0.20	3081	8.10	750	2.11	0.28	4130	7.75	750	2.02	0.26
1322	25.12	750	5.24	0.15	3082	9.92	750	2.68	0.30	4131	3.29	591	0.85	0.25
1438	10.42	750	2.55	0.24	3085	8.61	750	2.53	0.34	4150	1.69	391	0.48	0.30
1463	26.14	750	6.28	0.18	3096	6.38	750	1.62	0.24	4207	2.77	526	0.73	0.27
1624	10.72	750	2.66	0.21	3110	13.54	750	3.60	0.27	4239	6.27	750	1.56	0.25
1701	5.79	750	1.33	0.21	3111	5.58	750	1.49	0.27	4240	7.00	750	2.00	0.31
1748	4.71	750	1.37	0.34	3113	6.68	750	1.76	0.27	4243	6.06	750	1.62	0.29
1925	10.95	750	2.82	0.28	3114	7.69	750	2.54	0.32	4244	7.54	750	1.97	0.28
2003	6.88	750	1.79	0.27	3116	6.38	750	1.63	0.26	4250	3.92	670	1.17	0.28
2014	8.19	750	2.10	0.26	3131	3.77	651	1.01	0.26	4251	4.90	750	1.38	0.30
2016	3.11	569	0.84	0.28	3132	6.03	750	1.54	0.26	4253	2.71	519	0.68	0.21
2021	9.99	750	3.17	0.26	3145	5.34	750	1.44	0.27	4273	5.61	750	1.53	0.29
2041	6.14	750	1.72	0.30	3146	6.26	750	1.69	0.28	4279	5.91	750	1.69	0.31
2065	5.23	750	1.28	0.22	3169	6.21	750	1.79	0.32	4299	3.92	670	1.07	0.28
2070	5.19	750	1.30	0.26	3179	4.27	714	1.16	0.29	4304	9.85	750	2.62	0.28
2081	7.26	750	2.08	0.30	3188	4.34	723	1.25	0.32	4307	4.00	680	1.13	0.31
2095	7.86	750	2.13	0.29	3241	10.66	750	2.78	0.26	4351	1.79	404	0.46	0.27
2105	5.25	750	1.50	0.29	3257	4.68	750	1.35	0.32	4360	1.67	389	0.47	0.30
2110	5.19	750	1.47	0.32	3303	6.50	750	1.77	0.29	4361	2.34	473	0.64	0.30
2111	5.34	750	1.48	0.30	3306	5.20	750	1.43	0.29	4410	6.65	750	1.79	0.28
2121	5.79	750	1.50	0.25	3307	7.24	750	1.91	0.26	4452	6.33	750	1.82	0.31
2131	3.47	614	1.04	0.23	3315	5.66	750	1.53	0.28	4459	5.91	750	1.65	0.29
2143	6.92	750	1.75	0.24	3341	3.14	573	0.88	0.33	4470	4.33	721	1.22	0.31
2157	12.85	750	3.74	0.26	3365	12.28	750	3.12	0.25	4484	6.11	750	1.67	0.28
2380	5.49	750	1.54	0.29	3372	7.47	750	1.96	0.28	4511	1.56	375	0.42	0.25
2501	7.07	750	1.87	0.27	3383	3.45	611	0.99	0.31	4557	4.27	714	1.08	0.23
2503	3.36	600	0.91	0.29	3400	8.11	750	2.02	0.25	4558	4.04	685	1.03	0.24
2576	9.03	750	2.43	0.26	3507	6.23	750	1.63	0.25	4568	4.04	685	1.52	0.23
2585	4.91	750	1.47	0.31	3548	4.57	750	1.24	0.28	4583	7.69	750	1.87	0.25
2586	3.65	636	1.10	0.32	3559	4.63	750	1.24	0.27	4611	2.59	504	0.72	0.25
2587	4.70	750	1.23	0.23	3574	2.96	550	0.87	0.34	4692	1.12	320	0.30	0.26
2623	8.60	750	2.34	0.28	3581	1.64	385	0.44	0.27	4693	3.35	599	0.99	0.33
2660	6.15	750	1.86	0.36	3612	5.49	750	1.35	0.24	4712	4.89	750	1.28	0.25
2683	8.05	750	2.24	0.30	3620	8.42	750	1.72	0.20	4720	7.63	750	1.90	0.23
2688	4.37	726	1.20	0.28	3628	6.38	750	1.60	0.22	4825	2.25	461	0.56	0.25
2702	54.53	750	14.41	0.26	3629	4.96	750	1.30	0.26	4828	1.81	406	0.42	0.22
2731	10.51	750	2.80	0.30	3632	6.21	750	1.67	0.27	4829	1.81	406	0.40	0.20
2759	15.14	750	3.97	0.27	3634	5.53	750	1.53	0.29	4902	5.07	750	1.48	0.32
2790	3.51	619	0.87	0.22	3635	4.30	718	1.20	0.30	4923	3.38	603	0.88	0.25

* Refer to the Footnotes Page for additional information on this class code.

EXHIBIT III
MICHIGAN WORKERS COMPENSATION AND EMPLOYERS LIABILITY
Effective January 1, 2004

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

Page S2

CLASS CODE	MIN RATE	MIN PREM	ELR	D RATIO	CLASS CODE	MIN RATE	MIN PREM	ELR	D RATIO	CLASS CODE	MIN RATE	MIN PREM	ELR	D RATIO
5020	13.10	750	2.97	0.20	6843F	16.98	750	5.61	0.09	7580	5.35	750	1.31	0.23
5022	20.44	750	4.56	0.18	6845F	21.43	750	6.68	0.16	7600	5.38	750	1.37	0.25
5038a	a	a	a	a	6872F	21.13	750	6.33	0.16	7610	0.95	299	0.25	0.28
5040	34.95	750	7.84	0.20	6874F	35.58	750	11.37	0.09	7704	6.28	750	1.57	0.24
5057	29.75	750	6.23	0.17	7016M	22.95	750	2.48	0.17	7720*	3.47	614	0.94	0.28
5059	59.40	750	12.81	0.18	7024M	25.50	750	2.69	0.17	7904	6.01	750	1.61	0.28
5102	9.98	750	2.35	0.20	7038M	29.21	750	6.24	0.16	7920	0.53	246	0.14	0.28
5146	11.52	750	2.91	0.22	7046M	15.21	750	4.56	0.29	7979	2.50	493	0.65	0.23
5160	7.80	750	1.76	0.19	7047M	32.08	750	3.48	0.17	7980	8.82	750	2.40	0.29
5183	8.02	750	1.89	0.21	7050M	32.21	750	8.43	0.16	8001	3.67	639	1.05	0.29
5188	7.41	750	1.66	0.18	7090M	32.45	750	6.50	0.16	8006	2.97	551	0.85	0.29
5190	5.52	750	1.33	0.22	7098M	16.90	750	4.90	0.29	8008	1.57	376	0.46	0.30
5191	2.57	501	0.62	0.21	7099M	17.04	750	5.24	0.29	8010	2.64	510	0.71	0.26
5192	6.20	750	1.76	0.27	7151M	7.49	750	1.96	0.15	8013	0.94	298	0.26	0.27
5213	23.34	750	5.16	0.17	7152M	10.47	750	2.58	0.33	8015	1.38	353	0.38	0.29
5215	17.98	750	4.48	0.21	7153M	8.33	750	2.18	0.15	8017	2.27	464	0.66	0.30
5221	9.36	750	2.16	0.19	7202	10.03	750	2.59	0.23	8018	6.43	750	1.78	0.27
5222	20.81	750	4.59	0.18	7206	15.08	750	4.09	0.26	8021	8.67	750	2.33	0.25
5223	11.41	750	2.80	0.23	7208	16.91	750	4.18	0.20	8031	4.81	750	1.27	0.25
5348	11.95	750	2.86	0.21	7210	14.61	750	3.67	0.20	8032	3.01	556	0.83	0.28
5403	23.98	750	5.46	0.20	7212	7.38	750	2.12	0.29	8033	3.19	579	0.97	0.33
5437	13.60	750	3.17	0.20	7213	15.21	750	3.81	0.21	8039	2.48	490	0.71	0.30
5445	12.82	750	2.90	0.19	7214	15.17	750	4.05	0.25	8044	4.64	750	1.23	0.24
5462	13.07	750	3.00	0.20	7215	10.52	750	3.04	0.25	8045	1.01	306	0.18	0.24
5476	15.56	750	3.60	0.20	7216	13.00	750	3.10	0.18	8046	3.79	654	1.05	0.27
5479	12.51	750	2.90	0.20	7218	7.06	750	1.73	0.20	8047	2.36	475	0.73	0.34
5480	15.64	750	3.49	0.18	7219	12.50	750	3.05	0.22	8050	2.01	431	0.85	0.30
5506	19.74	750	4.49	0.20	7220	10.42	750	2.57	0.25	8058	4.67	750	1.36	0.31
5507	12.81	750	2.74	0.16	7230	7.13	750	2.06	0.24	8059	4.06	688	1.23	0.32
5509	6.82	750	1.82	0.28	7231	11.34	750	2.97	0.24	8102	5.36	750	1.50	0.28
5538	10.57	750	2.55	0.22	7309F	44.82	750	12.43	0.16	8106	8.95	750	2.27	0.24
5550	8.04	750	1.92	0.21	7313F	5.75	750	1.80	0.16	8107	7.34	750	1.98	0.22
5551	39.69	750	9.01	0.20	7317F	16.47	750	4.61	0.19	8111	3.82	658	1.03	0.25
5606	3.87	664	0.90	0.21	7333M	9.59	750	2.22	0.16	8116	7.12	750	1.94	0.25
5610	11.19	750	2.74	0.24	7335M	10.66	750	2.25	0.16	8209	5.90	750	1.61	0.26
5645	21.99	750	5.13	0.21	7337M	13.41	750	3.11	0.16	8215	8.19	750	1.99	0.22
5651	21.99	750	5.32	0.22	7350F	14.68	750	5.90	0.18	8227	7.85	750	1.82	0.20
6204	16.40	750	3.76	0.19	7360	11.55	750	3.00	0.24	8232	8.68	750	2.23	0.24
6216	9.09	750	2.18	0.21	7380	8.54	750	2.19	0.23	8235	5.96	750	1.65	0.27
6217	11.27	750	2.72	0.22	7382	6.03	750	1.69	0.29	8264	9.86	750	2.68	0.25
6229	9.14	750	2.11	0.20	7390	10.02	750	2.65	0.26	8265	12.34	750	3.17	0.24
6235	27.82	750	6.18	0.17	7394M	28.80	750	4.97	0.14	8279	17.79	750	5.85	0.27
6306	16.38	750	3.82	0.20	7395M	32.00	750	5.03	0.14	8291	14.50	750	4.82	0.33
6319	9.68	750	2.32	0.21	7398M	40.25	750	6.97	0.14	8292	9.38	750	2.56	0.26
6325	9.93	750	2.41	0.22	7403	5.13	750	1.45	0.29	8293	28.52	750	8.05	0.27
6400	15.01	750	3.95	0.25	7405	1.03	309	0.28	0.28	8304	8.19	750	1.97	0.21
6504	4.54	748	1.16	0.24	7421	7.27	750	1.57	0.19	8350	6.67	750	1.67	0.22
6702M	23.27	750	4.95	0.15	7422	4.37	726	0.81	0.11	8381	4.16	700	1.15	0.26
6703M	32.53	750	6.55	0.23	7423	3.66	638	0.90	0.22	8387	5.97	750	1.56	0.25
6704M	25.86	750	5.50	0.15	7502	4.65	750	1.17	0.24	8392	8.92	750	2.80	0.27
6801F	6.25	750	2.06	0.14	7515	2.40	480	0.64	0.20	8393	4.74	750	1.18	0.22
6824F	12.90	750	4.40	0.21	7520	5.91	750	1.63	0.27	8395	6.09	750	1.63	0.24
6826F	15.58	750	4.21	0.16	7538	10.80	750	2.34	0.19	8401	2.43	484	0.57	0.19
6834	4.58	750	1.24	0.27	7539	4.03	684	0.99	0.23	8601	1.37	351	0.30	0.19
6836	9.26	750	2.49	0.27	7540	9.21	750	2.27	0.24	8709F	7.70	750	2.63	0.22

* Refer to the Footnotes Page for additional information on this class code.

EXHIBIT III
MICHIGAN WORKERS COMPENSATION AND EMPLOYERS LIABILITY
Effective January 1, 2004

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

Page S3

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8720	2.45	486	0.65	0.26										
8726F	5.91	750	1.91	0.20										
8734M	0.87	288	0.23	0.31										
8737M	0.78	278	0.21	0.31										
8738M	1.09	316	0.25	0.31										
8742	0.69	266	0.17	0.26										
8745	9.70	750	2.70	0.27										
8748	1.70	393	0.40	0.22										
8755	0.66	263	0.15	0.18										
8800	1.88	415	0.57	0.34										
8803	0.12	195	0.03	0.24										
8805M	0.54	248	0.13	0.32										
8810	0.37	226	0.10	0.28										
8814M	0.48	240	0.12	0.32										
8815M	0.67	264	0.17	0.32										
8820	0.25	211	0.06	0.21										
8829	6.91	750	2.04	0.31										
8831	1.84	410	0.52	0.28										
8832	0.63	259	0.16	0.27										
8833	2.77	526	0.76	0.29										
8835	5.85	750	1.61	0.26										
8837	4.68	750	1.36	0.31										
8868	0.58	253	0.16	0.30										
8869	0.58	253	0.16	0.30										
8901	0.33	221	0.08	0.26										
9015	6.33	750	1.71	0.27										
9040	5.86	750	1.74	0.32										
9052	4.50	743	1.37	0.32										
9058	3.14	573	0.91	0.31										
9060	4.04	685	1.11	0.29										
9061	3.43	609	1.05	0.33										
9063	1.70	393	0.47	0.30										
9065	2.04	435	0.59	0.30										
9093	1.90	418	0.57	0.32										
9101	5.55	750	1.50	0.25										
9102	8.99	750	2.29	0.24										
9154	2.14	448	0.58	0.26										
9156	2.01	431	0.52	0.26										
9220	8.75	750	2.40	0.27										
9402	11.55	750	2.65	0.17										
9403	13.28	750	3.58	0.24										
9410	2.47	489	0.65	0.26										
9501	6.42	750	1.70	0.27										
9519	6.15	750	1.63	0.23										
9521	8.21	750	2.00	0.21										
9522	3.24	585	0.92	0.31										
9529a	a	a	a	a										
9530	11.45	750	2.57	0.20										
9558	13.23	750	3.25	0.23										
9559	3.62	633	1.06	0.34										
9586	1.31	344	0.38	0.28										
9620	1.48	365	0.39	0.24										

* Refer to the Footnotes Page for additional information on this class code.