

**EXHIBIT III**  
**MICHIGAN WORKERS COMPENSATION AND EMPLOYERS LIABILITY**

*Effective January 1, 2009*

**APPLICABLE TO ASSIGNED RISK POLICIES ONLY**

Page S1

CLASS CODE	MIN RATE	MIN PREM	D ELR	D RATIO	CLASS CODE	MIN RATE	MIN PREM	D ELR	D RATIO	CLASS CODE	MIN RATE	MIN PREM	D ELR	D RATIO
0005	5.62	750	2.54	0.23	2790	3.57	646	0.96	0.20	3634	5.46	750	1.59	0.24
0011	4.24	730	1.22	0.23	2797	6.60	750	1.89	0.24	3635	5.95	750	1.87	0.22
0034	6.19	750	1.75	0.24	2802	6.97	750	2.05	0.25	3638	6.39	750	1.64	0.17
0035	3.04	580	0.90	0.24	2812	5.22	750	1.47	0.22	3643	3.81	676	1.07	0.22
0042	9.37	750	2.53	0.19	2841	4.92	750	1.47	0.26	3648	4.01	701	1.16	0.24
0106	23.09	750	6.01	0.19	2881	2.99	574	0.88	0.24	3681	3.13	591	0.86	0.23
0128	7.31	750	1.99	0.20	2915	5.16	750	1.37	0.21	3685	1.82	428	0.51	0.23
0129	4.82	750	1.39	0.22	3004	5.23	750	1.37	0.20	3724	7.76	750	1.92	0.18
0130	5.80	750	1.67	0.25	3018	6.03	750	1.56	0.19	3726	7.92	750	1.94	0.17
0141	2.60	525	0.74	0.21	3022	7.65	750	2.16	0.22	3807	3.90	688	1.19	0.28
0908P	253.00	453	77.29	0.24	3027	5.69	750	1.64	0.25	3808	5.32	750	1.50	0.23
0909P	359.00	559	212.28	0.22	3028	8.32	750	2.29	0.21	3821	13.11	750	3.60	0.20
0912P	807.00	750	248.37	0.27	3030	11.99	750	2.97	0.17	3824	7.82	750	2.16	0.22
0913P	548.00	748	163.92	0.22	3040	9.13	750	2.35	0.19	3827	2.66	533	0.70	0.23
1005	9.70	750	2.31	0.16	3064	8.58	750	2.28	0.18	4000	10.93	750	2.76	0.19
1164	22.10	750	6.92	0.21	3066	7.05	750	1.92	0.21	4024	10.16	750	2.60	0.19
1320	6.70	750	1.63	0.18	3076	5.13	750	1.47	0.23	4034	10.95	750	2.94	0.21
1322	31.79	750	7.25	0.16	3081	7.20	750	2.06	0.25	4036	5.28	750	1.36	0.18
1438	6.94	750	1.80	0.21	3082	10.07	750	2.83	0.23	4130	6.77	750	1.93	0.23
1463	15.83	750	3.81	0.16	3085	9.27	750	2.49	0.21	4131	3.45	631	0.97	0.23
1624	6.00	750	1.53	0.18	3095	4.86	750	1.36	0.22	4150	2.19	474	0.68	0.27
1701	4.67	750	1.19	0.18	3096	4.86	750	1.36	0.22	4207	3.46	633	0.92	0.21
1748	5.43	750	1.53	0.23	3110	9.52	750	2.75	0.23	4239	6.32	750	1.67	0.20
1925	6.87	750	1.95	0.24	3111	5.69	750	1.64	0.23	4240	4.22	728	1.23	0.24
2003	5.83	750	1.72	0.25	3113	5.92	750	1.57	0.19	4243	8.15	750	2.19	0.21
2014	10.52	750	2.81	0.21	3114	12.15	750	3.10	0.17	4244	4.30	738	1.22	0.22
2016	2.93	566	0.84	0.24	3116	4.86	750	1.36	0.22	4250	5.66	750	2.14	0.25
2021	10.20	750	2.80	0.22	3131	3.77	671	1.05	0.22	4251	4.59	750	1.33	0.23
2041	7.58	750	2.15	0.23	3132	6.41	750	1.69	0.19	4253	6.29	750	1.96	0.22
2065	8.26	750	2.17	0.18	3145	4.59	750	1.28	0.23	4273	4.48	750	1.29	0.25
2070	4.61	750	1.25	0.20	3146	4.68	750	1.34	0.23	4279	4.94	750	1.44	0.25
2081	4.46	750	1.35	0.24	3169	3.94	693	1.15	0.25	4299	3.47	634	0.98	0.23
2095	5.29	750	1.49	0.23	3179	3.94	693	1.11	0.23	4304	5.86	750	1.67	0.25
2105	4.46	750	1.33	0.23	3188	4.22	728	1.18	0.23	4307	2.69	536	0.85	0.29
2110	3.58	648	1.03	0.25	3241	13.17	750	3.55	0.23	4351	2.26	483	0.59	0.18
2111	3.90	688	1.06	0.22	3257	4.59	750	1.62	0.23	4360	2.01	451	0.57	0.23
2121	5.58	750	1.49	0.20	3303	5.82	750	1.56	0.21	4361	1.81	426	0.49	0.23
2131	6.81	750	1.81	0.22	3306	6.88	750	2.05	0.20	4410	4.99	750	1.40	0.22
2143	3.85	681	1.13	0.24	3307	6.56	750	1.77	0.20	4452	6.32	750	1.85	0.25
2157	10.54	750	3.05	0.24	3315	5.38	750	1.53	0.23	4459	5.43	750	1.53	0.22
2380	9.69	750	2.68	0.21	3341	4.89	750	1.49	0.29	4470	4.49	750	1.34	0.26
2501	4.31	739	1.28	0.26	3365	9.52	750	2.56	0.20	4484	5.80	750	1.64	0.22
2503	2.42	503	0.70	0.25	3372	7.47	750	2.00	0.21	4511	1.17	346	0.33	0.21
2576	6.19	750	1.84	0.25	3383	3.07	584	0.90	0.24	4557	3.47	634	0.95	0.20
2585	5.02	750	1.50	0.25	3400	4.72	750	1.28	0.21	4558	3.51	639	0.97	0.22
2586	3.50	638	1.11	0.28	3507	5.23	750	1.42	0.20	4568	4.47	750	1.07	0.16
2587	4.39	749	1.53	0.22	3548	3.88	685	1.12	0.22	4583	7.24	750	1.84	0.21
2623	5.56	750	1.64	0.25	3559	7.36	750	1.92	0.17	4611	1.69	411	0.48	0.23
2660	4.44	750	1.36	0.29	3574	3.19	599	0.93	0.25	4692	1.28	360	0.39	0.28
2683	5.53	750	1.60	0.25	3581	3.02	578	1.12	0.25	4693	1.61	401	0.45	0.23
2688	5.45	750	1.62	0.25	3612	3.94	693	1.09	0.24	4712	5.12	750	1.36	0.18
2702	43.69	750	10.78	0.20	3620	5.70	750	1.45	0.18	4720	2.77	546	0.78	0.23
2709	43.69	750	10.78	0.20	3628	6.41	750	1.67	0.19	4825	0.94	318	0.26	0.23
2731	9.23	750	2.57	0.25	3629	4.99	750	1.36	0.21	4828	1.76	420	0.44	0.16
2759	8.46	750	2.29	0.21	3632	5.06	750	1.41	0.22	4829	1.76	420	0.41	0.16

\* Refer to the Footnotes Page for additional information on this class code.

**EXHIBIT III**  
**MICHIGAN WORKERS COMPENSATION AND EMPLOYERS LIABILITY**

*Effective January 1, 2009*

**APPLICABLE TO ASSIGNED RISK POLICIES ONLY**

Page S2

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
4902	3.17	596	0.98	0.27	6826F	11.31	750	3.65	0.21	7538	7.83	750	1.78	0.16
4923	2.47	509	0.66	0.21	6834	5.08	750	1.42	0.23	7539	2.53	516	0.66	0.19
5020	10.55	750	2.68	0.17	6836	6.22	750	1.78	0.24	7540	5.86	750	1.38	0.15
5022	14.45	750	3.45	0.15	6843F	12.02	750	4.06	0.17	7580	4.14	718	1.10	0.20
5038a*	a	a	a	a	6845F	20.97	750	6.95	0.19	7600	4.42	750	1.19	0.20
5040	57.09	750	12.49	0.15	6872F	15.67	750	5.17	0.19	7610	0.96	320	0.24	0.21
5057	19.42	750	4.36	0.14	6874F	30.59	750	8.73	0.17	7704	8.55	750	2.30	0.23
5059	59.78	750	13.11	0.15	7016M	17.60	750	2.02	0.19	7720*	3.35	619	0.97	0.24
5102	11.07	750	2.65	0.16	7024M	19.56	750	4.85	0.19	7904	13.46	750	3.71	0.22
5146	11.22	750	3.30	0.20	7038M	12.92	750	5.25	0.16	7920	0.43	254	0.12	0.24
5160	6.60	750	1.47	0.13	7046M	12.14	750	3.76	0.24	7979	2.05	456	0.57	0.19
5183	7.21	750	1.84	0.17	7047M	24.68	750	3.05	0.19	7980	5.90	750	1.65	0.22
5188	5.55	750	1.44	0.18	7050M	18.12	750	6.84	0.16	8001	3.52	640	1.05	0.25
5190	5.27	750	1.34	0.18	7090M	14.36	750	3.46	0.16	8006	2.43	504	0.73	0.24
5191	2.13	466	0.59	0.18	7098M	13.49	750	3.81	0.24	8008	1.36	370	0.42	0.26
5192	5.51	750	1.69	0.24	7099M	17.02	750	4.04	0.24	8010	3.24	605	0.91	0.21
5213	15.72	750	3.90	0.17	7151M	10.27	750	3.48	0.16	8013	0.74	293	0.21	0.20
5215	15.32	750	3.93	0.17	7152M	14.36	750	2.24	0.16	8015	0.97	321	0.30	0.24
5221	9.41	750	2.35	0.16	7153M	11.41	750	2.92	0.16	8017	1.96	445	0.60	0.26
5222	19.79	750	4.41	0.13	7202	8.98	750	2.35	0.17	8018	4.46	750	1.34	0.24
5223	9.56	750	2.64	0.23	7206	20.14	750	5.55	0.22	8021	6.98	750	2.10	0.24
5348	10.83	750	2.78	0.18	7208	13.66	750	3.57	0.18	8031	4.25	731	1.29	0.25
5403	22.88	750	5.33	0.15	7210	12.30	750	3.21	0.18	8032	2.56	520	0.76	0.24
5437	10.95	750	2.77	0.18	7212	5.44	750	1.74	0.28	8033	3.39	624	1.02	0.24
5445	9.30	750	2.24	0.16	7213	20.08	750	5.35	0.21	8039	2.07	459	0.64	0.27
5462	14.98	750	3.81	0.17	7214	13.59	750	3.73	0.21	8044	3.63	654	1.04	0.22
5476	13.57	750	3.23	0.16	7215	14.28	750	3.45	0.14	8045	0.74	293	0.23	0.26
5479	13.04	750	3.33	0.17	7216	14.71	750	4.02	0.22	8046	4.55	750	1.35	0.25
5480	12.36	750	3.03	0.17	7218	10.87	750	3.05	0.22	8047	1.33	366	0.38	0.21
5506	11.47	750	2.73	0.18	7219	9.09	750	2.31	0.17	8050	4.83	750	1.48	0.25
5507	9.64	750	2.26	0.15	7220	3.84	680	1.01	0.20	8058	3.93	691	1.16	0.23
5509	6.94	750	1.79	0.21	7230	8.49	750	2.36	0.19	8059	3.35	619	1.06	0.27
5538	11.89	750	3.03	0.19	7231	9.52	750	2.95	0.26	8102	3.98	698	1.09	0.19
5550	9.47	750	2.39	0.19	7309F	27.45	750	9.62	0.20	8106	6.87	750	1.92	0.22
5551	32.64	750	8.00	0.19	7313F	4.24	730	1.32	0.18	8107	5.14	750	1.33	0.17
5552	32.64	750	8.00	0.19	7317F	9.14	750	2.97	0.19	8111	3.63	654	1.05	0.21
5606	2.71	539	0.65	0.16	7333M	10.65	750	1.94	0.17	8116	3.60	650	1.06	0.22
5610	9.67	750	2.53	0.19	7335M	11.83	750	2.94	0.17	8209	4.74	750	1.37	0.22
5645	20.53	750	5.14	0.19	7337M	14.93	750	2.71	0.17	8215	10.52	750	2.73	0.21
5651	20.53	750	5.14	0.19	7350F	13.33	750	5.62	0.16	8227	8.84	750	2.16	0.19
6204	12.71	750	3.34	0.20	7360	8.57	750	2.37	0.21	8232	7.62	750	2.17	0.23
6216	11.37	750	2.81	0.18	7380	6.95	750	1.93	0.20	8235	6.46	750	1.78	0.19
6217	10.95	750	2.69	0.17	7382	7.37	750	2.10	0.21	8264	7.74	750	3.09	0.21
6229	8.64	750	2.06	0.16	7390	8.13	750	2.46	0.24	8265	7.60	750	2.00	0.19
6235	20.62	750	4.75	0.16	7394M	19.33	750	4.34	0.11	8279	9.94	750	2.59	0.22
6306	12.20	750	2.97	0.16	7395M	21.48	750	4.57	0.11	8291	5.73	750	1.67	0.23
6319	9.89	750	2.29	0.15	7398M	27.11	750	6.08	0.11	8292	9.33	750	2.71	0.22
6325	13.20	750	3.24	0.18	7403	7.27	750	1.93	0.19	8293	21.52	750	6.21	0.23
6400	16.59	750	4.42	0.19	7405	0.89	311	0.25	0.22	8304	10.52	750	2.73	0.21
6504	2.90	563	0.78	0.20	7421	3.86	683	0.99	0.19	8350	6.80	750	1.78	0.19
6702M	17.16	750	7.22	0.19	7422	3.44	630	0.73	0.11	8381	3.70	663	1.04	0.23
6703M	24.07	750	7.22	0.19	7423	3.05	581	0.82	0.20	8387	4.98	750	1.39	0.20
6704M	19.07	750	4.99	0.19	7502	3.85	681	1.15	0.26	8392	5.30	750	1.57	0.22
6801F	4.75	750	1.39	0.16	7515	1.39	374	0.34	0.18	8393	4.23	729	1.20	0.18
6824F	10.87	750	4.11	0.23	7520	5.93	750	1.71	0.22	8395	5.74	750	1.59	0.20

\* Refer to the Footnotes Page for additional information on this class code.

**EXHIBIT III  
MICHIGAN WORKERS COMPENSATION AND EMPLOYERS LIABILITY**

*Effective January 1, 2009*

**APPLICABLE TO ASSIGNED RISK POLICIES ONLY**

Page S3

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8401	1.06	333	0.32	0.23	9620	1.22	353	0.35	0.21					
8601	1.21	351	0.30	0.19										
8709F	4.21	726	1.87	0.23										
8720	2.75	544	0.74	0.20										
8726F	5.79	750	2.43	0.20										
8734M	0.73	291	0.20	0.20										
8737M	0.66	283	0.20	0.20										
8738M	0.92	315	0.26	0.20										
8742	0.72	290	0.18	0.21										
8745	5.92	750	1.70	0.22										
8748	1.29	361	0.32	0.18										
8755	0.40	250	0.10	0.15										
8800	2.08	460	0.61	0.25										
8803	0.12	215	0.03	0.16										
8805M	0.47	259	0.13	0.20										
8810	0.33	241	0.09	0.23										
8814M	0.42	253	0.11	0.20										
8815M	0.59	274	0.10	0.20										
8820	0.28	235	0.08	0.21										
8829	4.27	734	1.34	0.26										
8831	1.61	401	0.48	0.25										
8832	0.63	279	0.17	0.21										
8833	2.57	521	0.68	0.22										
8835	3.70	663	1.13	0.25										
8837	4.27	734	1.25	0.25										
8868	0.58	273	0.16	0.26										
8869	0.86	308	0.23	0.27										
8901	0.37	246	0.10	0.21										
9015	6.26	750	1.84	0.22										
9040	5.48	750	1.71	0.27										
9052	3.68	660	1.17	0.27										
9053	3.68	660	1.17	0.27										
9058	2.24	480	0.71	0.27										
9060	2.89	561	0.85	0.24										
9061	2.88	560	0.93	0.25										
9063	1.45	381	0.45	0.28										
9065	1.47	384	0.44	0.22										
9093	2.14	468	0.62	0.22										
9101	3.80	675	1.12	0.22										
9102	5.04	750	1.45	0.21										
9154	1.88	435	0.54	0.21										
9156	2.00	450	0.54	0.24										
9220	6.01	750	1.75	0.23										
9402	8.12	750	2.16	0.19										
9403	11.34	750	2.87	0.18										
9410	1.61	401	0.48	0.23										
9501	4.72	750	1.34	0.24										
9519	5.21	750	1.42	0.20										
9521	6.59	750	1.81	0.19										
9522	2.73	541	0.79	0.24										
9529a*	a	a	a	a										
9530	13.60	750	3.46	0.20										
9558	18.30	750	6.31	0.22										
9559	4.81	750	1.31	0.24										
9586	0.92	315	0.30	0.26										

\* Refer to the Footnotes Page for additional information on this class code.